

·	5.3.2.1	Reference Point <i>a</i> .....	30	1
·	5.3.2.2	Reference Point <i>b</i> .....	30	2
·	5.3.2.3	Reference Point <i>c</i> .....	31	3
·	5.3.2.4	Reference Point <i>d</i> .....	31	4
·	5.3.2.5	Reference Point <i>e</i> .....	31	5
5.4	Message Descriptions .....	31	6	
5.4.1	Answer .....	32	7	
5.4.2	CCClose .....	33	8	
5.4.3	CCOpen .....	34	9	
5.4.4	Change .....	35	10	
5.4.5	Origination .....	35	11	
5.4.6	PacketEnvelope .....	37	12	
5.4.7	Redirection .....	38	13	
5.4.8	Release .....	39	14	
5.4.9	ServingSystem .....	40	15	
5.4.10	TerminationAttempt .....	41	16	
6	Stage 3 Description: Implementation Perspective .....	42	17	
6.1	Protocol Definition .....	42	18	
6.2	CDC Protocol Definition .....	42	19	
6.2.1	CDC Underlying Data Transmission .....	42	20	
6.2.2	CDC Parameter Encoding Objectives .....	42	21	
6.2.3	CDC Syntax Definitions .....	43	22	
6.3	CDC Message Definitions .....	44	23	
6.3.1	Answer Message .....	44	24	
6.3.2	CCClose Message .....	44	25	
6.3.3	CCOpen Message .....	45	26	
6.3.4	Change Message .....	45	27	
6.3.5	Origination Message .....	46	28	
6.3.6	PacketEnvelope Message .....	47	29	
6.3.7	Redirection Message .....	48	30	
6.3.8	Release Message .....	48	31	
6.3.9	ServingSystem Message .....	49	32	
6.3.10	TerminationAttempt Message .....	49	33	
6.4	CDC Parameter Definitions .....	49	34	
6.4.1	BearerCapability .....	49	35	
6.4.2	CallIdentity .....	50	36	
6.4.3	CaseIdentity .....	50	37	
6.4.4	CCCIdentity .....	50	38	
6.4.5	IAPSystemIdentity .....	51	39	
6.4.6	Location .....	51	40	
6.4.7	PartyIdentity .....	51	41	
6.4.8	PDUType .....	52	42	
6.4.9	RedirectedFromInformation .....	52	43	
6.4.10	TimeStamp .....	53	44	
6.4.11	TransitCarrierIdentity .....	53	45	
6.5	CCC Protocols .....	54	46	
6.5.1	CCC Encoding for Circuit-Mode Services .....	54	47	
6.5.2	CCC Encoding for Packet-Mode Services .....	54	48	
6.6	LAESP Compatibility Guidelines .....	54	49	
6.6.1	Guidelines For Forward Compatibility .....	54	50	
6.6.2	Guidelines For Backward Compatibility .....	55	51	
6.6.2.1	Existing Messages .....	55	52	

1	6.6.2.2	Parameters in Existing Messages .....	55
2	6.6.2.3	New Messages .....	56
3	6.6.2.4	New Parameters .....	56
4	6.6.2.5	New Parameter Fields .....	56
5	6.6.2.6	New Parameter Values .....	56
6			
7	<b>Annex A</b>	<b>Deployment Examples .....</b>	<b>57</b>
8	A.1	Possible Network Deployment of IAPs .....	57
9	A.2	Access and Delivery Function Equipment Configuration .....	59
10	A.3	Implementation of the <i>d</i> -interface .....	62
11	A.4	Implementation of the <i>e</i> -interface .....	64
12	A.5	Possible CDC Protocol Stacks .....	66
13	A.6	Possible CCC Protocol Stacks .....	67
14			
15	<b>Annex B</b>	<b>CCC Delivery Methods .....</b>	<b>70</b>
16	B.1	Circuit-Mode vs. Packet-Mode .....	70
17	B.2	Overview .....	71
18	B.3	Dedicated Circuit CCC Delivery .....	72
19	B.3.1	Obtain Network Address of Destination .....	73
20	B.3.2	Setup CCC to Destination .....	73
21	B.3.3	Destination Acceptance or Refusal of a CCC .....	74
22	B.3.4	CCC Continuity Verification .....	74
23	B.3.5	Associate Intercept Subject and Call Identity to the CCC .....	75
24	B.3.6	Call Content Transfer .....	75
25	B.3.7	Early CCC Release by the Destination .....	76
26	B.3.8	Disassociate CCC .....	76
27	B.3.9	Normal CCC Release by the Source. ....	76
28	B.4	Trunk Group CCC Delivery .....	77
29	B.4.1	Obtain Network Address of Destination .....	78
30	B.4.2	Setup CCC to Destination .....	78
31	B.4.3	Destination Acceptance or Refusal of a CCC .....	79
32	B.4.4	CCC Continuity Verification .....	82
33	B.4.5	Associate Intercept Subject and Call Identity to the CCC .....	82
34	B.4.6	Call Content Transfer .....	83
35	B.4.7	Early CCC Release by the Destination .....	83
36	B.4.8	Disassociate CCC .....	84
37	B.4.9	Normal CCC Release by the Source .....	84
38	B.5	Static Directory Number CCC Delivery .....	85
39	B.5.1	Obtain Network Address of Destination .....	86
40	B.5.2	Setup CCC to Destination .....	86
41	B.5.3	Destination Acceptance or Refusal of a CCC .....	87
42	B.5.4	CCC Continuity Verification .....	87
43	B.5.5	Associate Intercept Subject and Call Identity to the CCC .....	87
44	B.5.6	Call Content Transfer .....	87
45	B.5.7	Early CCC Release by the Destination. ....	87
46	B.5.8	Disassociate CCC .....	88
47	B.5.9	Normal CCC Release by the Source .....	88
48	B.6	Packet Data CCC Delivery .....	88
49	B.6.1	Obtain Network Address of Destination .....	89
50	B.6.2	Setup CCC to Destination .....	89
51	B.6.3	Destination Acceptance or Refusal of a CCC .....	89
52	B.6.4	CCC Continuity Verification .....	89
53	B.6.5	Associate Intercept Subject and Call Identity to the CCC .....	89
54			

B.6.6	Call Content Transfer .....	90	1
B.6.7	Early CCC Release by the Destination .....	90	2
B.6.8	Disassociate CCC .....	90	3
B.6.9	Normal CCC Release by the Source .....	90	4
B.7	Delivery Bearer Service .....	90	5
B.8	Separated Content Delivery .....	90	6
B.9	Combined Content Delivery .....	91	7
B.10	Signaling for Switched Delivery .....	92	8
B.11	Call Content Delivery Delay .....	92	9
B.12	Call Content Distribution .....	93	10
B.13	DTMF C-Tone Signaling Procedures .....	93	11
Annex C	CDC Delivery Methods .....	95	12
C.1	Dedicated Data Circuit CDC Delivery .....	95	13
C.2	Dedicated Data Link CDC Delivery .....	96	14
C.3	Call Data Distribution .....	96	15
Annex D	Information Access Scenarios .....	97	16
D.1	Simple Abandoned Call Attempt .....	101	17
D.2	Partial Dial Abandon .....	101	18
D.3	Pre-Answer Abandon .....	102	19
D.4	Simple Outgoing Call .....	103	20
D.5	Re-Originination .....	104	21
D.6	Simple Incoming Call .....	105	22
D.7	Call Waiting and Recall .....	106	23
D.7.1	Call Waiting and Recall with a Single Call Identity .....	107	24
D.7.2	Call Waiting and Recall with Separate Leg Identities .....	108	25
D.7.3	Call Waiting and Recall with Separate Calls .....	109	26
D.8	Call Waiting with Talking Party Disconnect .....	110	27
D.8.1	Call Waiting with Talking Party Disconnect and a Single Call Identity .....	111	28
D.8.2	Call Waiting with Talking Party Disconnect and Separate Leg Identities .....	112	29
D.8.3	Call Waiting with Talking Party Disconnect and Separate Calls .....	113	30
D.9	Call Held and Retrieved .....	114	31
D.10	Three-Way Calling, Plus Call Turned Away .....	115	32
D.10.1	Three-Way Calling, Plus Call Turned Away with a Single Call Identity .....	115	33
D.10.2	Three-Way Calling, Plus Call Turned Away with Separate Leg Identities .....	117	34
D.10.3	Three-Way Calling, Plus Call Turned Away with Separate Calls .....	118	35
D.11	Call Forwarding—No Answer on a Single System .....	120	36
D.12	Call Forwarding—No Answer on Different Systems .....	121	37
D.13	Two Bearer Channels, Plus Call Transfer .....	122	38
D.14	Speed Calling .....	123	39
D.15	Multiple Translations on Single System .....	124	40
D.16	Multiple Call Scenario .....	125	41
D.17	Simple Call Delivery to a Mobile Station .....	126	42
D.18	Password Call Acceptance and Flexible Alerting .....	128	43
D.19	Password Call Acceptance and Call Forwarding .....	129	44
D.20	Completed Call To Busy Subscriber .....	130	45
D.21	Dialed Feature Code Digits .....	131	46
D.22	Call Release to Pivot .....	131	47
D.23	Intrasytem Handoff .....	133	48
D.24	Handoff to a Third System without Path Minimization .....	133	49

1	D.25 Connected Party Modification .....	135
2		
3	Annex E Optional Messages .....	136
4	E.1 ConnectionTest Message .....	136
5		
6	Annex F LAES Administrative Interfaces .....	137
7		
8	Index .....	139
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		

## List of Tables

---

<b>Table 1:</b>	Answer Message Parameters . . . . .	32
<b>Table 2:</b>	CCClose Message Parameters . . . . .	33
<b>Table 3:</b>	CCOpen Message Parameters . . . . .	34
<b>Table 4:</b>	Change Message Parameters . . . . .	35
<b>Table 5:</b>	Origination Message Parameters . . . . .	36
<b>Table 6:</b>	PacketEnvelope Message Parameters . . . . .	37
<b>Table 7:</b>	Redirection Message Parameters . . . . .	38
<b>Table 8:</b>	Release Message Parameters . . . . .	39
<b>Table 9:</b>	ServingSystem Message Parameters . . . . .	40
<b>Table 10:</b>	TerminationAttempt Message Parameters . . . . .	41
<b>Table 11:</b>	IAP Primary Locations . . . . .	57
<b>Table 12:</b>	Simple Switch Connections . . . . .	98
<b>Table 13:</b>	Simple Abandoned Call Attempt Scenario . . . . .	101
<b>Table 14:</b>	Partial Dial Abandon Scenario . . . . .	101
<b>Table 15:</b>	Pre-Answer Abandon Scenario . . . . .	102
<b>Table 16:</b>	Simple Outgoing Call Scenario . . . . .	103
<b>Table 17:</b>	Alternate Steps for <i>en bloc</i> Sending . . . . .	103
<b>Table 18:</b>	Re-origination Call Scenario . . . . .	104
<b>Table 19:</b>	Alternate Re-origination Call Scenario Steps . . . . .	105
<b>Table 20:</b>	Simple Incoming Call Scenario . . . . .	105
<b>Table 21:</b>	Call Waiting with Recall Scenario with a Single Call Identity . . . . .	107
<b>Table 22:</b>	Call Waiting with Recall with Separate Leg Identities Scenario . . . . .	108
<b>Table 23:</b>	Call Waiting with Recall with Separate Calls Scenario . . . . .	109
<b>Table 24:</b>	Call Waiting with Talking Party Disconnect and a Single Call Identity Scenario . . . . .	111
<b>Table 25:</b>	Call Waiting with Talking Party Disconnect and Separate Leg Identities Scenario . . . . .	112
<b>Table 26:</b>	Call Waiting with Talking Party Disconnect and Separate Calls Scenario . . . . .	113
<b>Table 27:</b>	Call Held and Retrieved Scenario . . . . .	114
<b>Table 28:</b>	Three-Way Calling with a Single Call Identity Scenario . . . . .	115
<b>Table 29:</b>	Three-Way Calling Scenario with Separate Leg Identities . . . . .	117
<b>Table 30:</b>	Three-Way Calling with Separate Call Scenario . . . . .	118
<b>Table 31:</b>	Call Forwarding—No Answer on a Single System Scenario . . . . .	120
<b>Table 32:</b>	Call Forwarding—No Answer on Different Systems Scenario . . . . .	121
<b>Table 33:</b>	Two Bearer Channels, Plus Call Transfer Scenario . . . . .	122
<b>Table 34:</b>	Speed Calling Scenario . . . . .	123
<b>Table 35:</b>	Multiple Translations on a Single System Scenario . . . . .	124
<b>Table 36:</b>	Multiple Call Scenario . . . . .	125
<b>Table 37:</b>	Simple Call Delivery Scenario . . . . .	126
<b>Table 38:</b>	Password Call Acceptance and Flexible Alerting Scenario . . . . .	128
<b>Table 39:</b>	Password Call Acceptance and Call Forwarding Scenario . . . . .	129
<b>Table 40:</b>	Completed Call To Busy Subscriber . . . . .	130
<b>Table 41:</b>	Dialed Feature Code Digits Scenario . . . . .	131
<b>Table 42:</b>	Call Release to Pivot Scenario . . . . .	131
<b>Table 43:</b>	Intrasytem Handoff Scenario . . . . .	133
<b>Table 44:</b>	Handoff to a Third System without Path Minimization Scenario . . . . .	133
<b>Table 45:</b>	Connected Party Modification Scenario . . . . .	135
<b>Table 46:</b>	ConnectionTest Message Parameters . . . . .	136
		54
		55
		56
		57
		58
		59